


#### Introduction







Kulaswamini of Chhatrapati Shivaji Maharaj



One of the Three & half Shaktipeeths in Maharashtra



Tuljabhavani



Mahalakshmi



Saptashrungi




Renuka

- Town with municipal council
- Prime town for Religious Tourism in Maharashtra
- Elevation 648 m
- Population- 34011
- Avg literacy 82.34%
- Local language Marathi
- 45 km from Solapur , 25km from Dharashiv





# **Location & Geographical Setting of Tuljapur**





तुळजापूर



#### **Our Vision**

To enhance the quality and experience of Darshan for Devotees by developing a sustainable system to conserve the history, culture, heritage & to preserve their spiritual sanctity along with the enhancement of infrastructural facilities with modern amenities; through innovative planning, effective & collaborative support from local community & others, in order to achieve the objective of the economic growth and the vision to transform Tuljapur town as a prime religious destination of the world.





#### **Existing Scenario**

#### Festivals marking high footfall



शारदीय नवरात्र महोत्सव हा महोत्सव श्री देविजिंच्या साजऱ्या होणाऱ्या यात्रा उत्सव पैकी महत्त्वाचा उत्सव आहे




शाकंभरी नवरात्र पौष महिन्यात शांकभरी देवीचा हा उत्सव साजरा केला जातो



No of Devotee

**विजयादशमी दसरा** दसरा साडेतीन मुहूर्तातला एक मुहूर्त

VISITOR IN TULIAPUR DURING SHARADIYA NAVRATRI 2022 (26.09.22 TO 10.10.22)



WEEKDAYS

Footfall

#### **Key Challengesions**

- Ever growing population t 25 years
- Crowd managemente to local fabric
- Safety & ease of darshan
- Sufficiency of infrastructure ders





श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर



#### Proposal – In a Nutshell

#### **Conservation of existing Structure**

- Temple precinct
- Temple Shikhar
- Kund/Tirth
- Other temples

#### **Services**

- Solid waste management
- Electrical augmentation
- Storm-water up-gradation
- Security and Surveillance
- HVAC

#### **PROPOSAL**

#### Infrastructure development

- Proposed Darshan Sabhaghruha
- Bhavik Suvidha Kendra with Parking Facilities.
- Ramp over valley
- Proposed Museum
- Bus pickup/ drop point
- Private bus parking area
- Way side amenities

#### **Up-gradation of existing Facilities**

- To accommodate the ever rising crowd.
- Better ritual locations
- Existing parking lot transformed to Bhavik Suvidha Kendra.
- Existing tunnel- utilized for entry
- Removing incongruent structures creating space for devotees in temple precinct.

#### **Crowd management**


- Primary level- Bhavik Suvidha
   Kendra.
- Secondary level- Darshan
   Sabhaghruha.
- Queue management- ramp and darshan mandap.
- Aligning crowds as per rituals
- Multiple exit points





#### Key Objectives Of Proposed Development Plan Of Tuljapur Temple & Tuljapur Town

#### **ISSUES**



**Main Temple Conservation** 

**Temple precinct development & beautification** 

Removal of Incongruent Interventions to enhance crowd handling capacity

**Ease of Darshan for devotees** 

**Enhance the Experience of Darshan from 2-3 seconds to 15 second** 

To reduce the time required for Darshan standing in a queue currently 6 - 8 hours to 30 - 45 minutes


To provide facilities & Amenities to devotees while seating is Darshan Sabhagruha

**Disaster Management** 


**Crowd Management during measure festivals** 

Darshan System for Specially (Divyang) Abled & Senior Citizens










# **Location & Geographical Setting**





# **Location & Geographical Setting**






# **Location & Geographical Setting**







# **Existing Land use Map**






#### **Proposed Infra Structure- Bhavik Suvidha Kendra**









#### **Facilities - Bhavik Suvidha Kendra**









#### **Proposed Infra Structure- Darshan Sabhagruha**









### **Facilities- Darshan Sabhagruha**









#### **Proposed Infra Structure- Ramp**









### **Facilities - Ramp**





# **Proposed Devotee Movement – Temple Precinct Level**








# **Proposed Devotee Movement – Temple Precinct Level ENTRY ROUTE 3 EMERGENCY EXIT 1** PROPOSED HAAT PROPOSED BACK OFFICE **EXIT ROUTE 2** EMERGENCE EXIT 2 **EXIT ROUTE 3 GABHARA ENTRY ROUTE 1** LANDSCAPE PATI ADMIN BLDG. DHARMASHA **RAMP** Entry Path Exit Path Emergency exit **EXIT ROUTE 1 ENTRY ROUTE 2** श्री तुळजाभवानी मंदिर संस्थान, **STRUCTWEL** तुळजापूर



#### **Temple Conservation - Distress**



1. Open cables & damaged light fixtures



2. Ceiling coated with silver colour




3. Walls & floor cladded with marble



4. Column sway at multiple locations




7. False ceiling installed . Walls cladded with bright coloured ceramic tiles.



5. some parts of the column have got chipped off. Column capital edges are damaged at multiple locations.




with black tile






### **Temple Conservation - Distress**






















# **Proposed Devotee Movement – Temple Level**









PROPOSED SECTION A-A'

Change in floor level to improve quality of Darshan for devotees in Mukh Darshan queue






# Incongruent interventions/ structures in the temple premises








# Potential open spaces after removing incongruent interventions







# **Temple Precinct - Current**






STRUCTWEL


# **Temple Precinct – Proposed**







#### **Temple Precinct – Proposed**






STRUCTWEL

# **Temple Precinct – Proposed**










# Potential open spaces after removing incongruent interventions Current Area- 1952 Sqm Increase in area – 266 Sqm (Approx) Area after modification 2218 Sqm (Approx) REPORTS. Existing Area- 877 Sqm Existing Area- 1323 Sqm Existing Area- 991.50 Sqm Increase in area - 323 Sqm Increase in area – 1222 Sqm Increase in area – 600 Sqm (Approx) (Approx) (Approx) Area after modification 1588 Sqm Area after modification 1200 Sqm Area after modification 2545 (Approx) (Approx) Sqm (Approx) ROAD HOUSE ADDRESS OF THE PARTY OF HOUSE






## **Development In Chatrapati Sambhaji Maharaj Prangan**








# Potential open spaces after removing incongruent interventions Current Area- 1952 Sqm Increase in area – 266 Sqm (Approx) Area after modification 2218 Sqm (Approx) REPORTS Existing Area- 877 Sqm Existing Area- 1323 Sqm Existing Area- 991.50 Sqm Increase in area - 323 Sqm Increase in area – 1222 Sqm Increase in area – 600 Sqm (Approx) (Approx) (Approx) Area after modification 1588 Sqm Area after modification 1200 Sqm Area after modification 2545 (Approx) (Approx) Sqm (Approx) ROAD HOUSE ADDRESS OF THE PARTY OF HOUSE






## **Development In Chatrapati Rajaram Maharaj Prangan**








# Potential open spaces after removing incongruent interventions











## **Concept Plan of Proposed Structure at existing Abhishek Mandap**








## The Proposal – Conservation









### The Proposal – Conservation







श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर




### **Gabhara Modification For Reconstruction**









### **Services – Proposed and Improvised**









#### **Disaster Management Plan – Key Aspect**

#### **Fire Safety**

- Installation of fire hydrants.
- Increasing the capacity of existing water tanks.
- Smoke detector and Fire sprinkler system.
- Mock-up drills every 3 months.
- Planned fire exits during emergency evacuation.



#### **Crowd Management**

- Visitor management facilities .
- Queue management.
- Entry and Exit.
- Online booking systems to regulate
   the crowd density.
- · Public Address system.
- Capacity building of temple staff to tackle emergency.
- · Lifts dedicated for Emergency.




#### **Security Provision**

- Arrangements with security agencies (temporary and permanent).
- DFMD'S Installation of metal detectors.
- Installation of CCTV and control rooms.
- Security system at each Entry/Exit points.
- Settlements by police departments at various points .










# तोरण – अंतर्गत आणि बाह्य











#### Museum & Statue


















### **SWADESH DARSHAN SCHEME – Conservation of Religious structures - Temples**







### **SWADESH DARSHAN SCHEME**— Conservation of Religious structures — Tirth and Vihir







## **SWADESH DARSHAN SCHEME**— Development of Tourist Facilities





**CCTV SURVEILLANCE** 

PARKING FOR VISITORS







SECURITY CHECKING SYSTEM

**PUBLIC TOILETS** 



TOURIST INFORMATION CENTRE







HIRKANI KAKSH



PROPOSED TOILET BLOCKS



श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर



## **SWADESH DARSHAN SCHEME – Development of Tourist Facilities**





HATT



**EXIBITION AREA** 





**FOOD COURT** 





### **SWADESH DARSHAN SCHEME- Development of Infrastructure - Wayside Amenities**







## **SWADESH DARSHAN SCHEME- Development of Existing Garden & Pond with landscape**





**STRUCTWEL** 

## **SWADESH DARSHAN SCHEME** – Development of Infrastructure – Signages – Conceptual proposal




THEMATIC: TRADITIONAL WELCOME




THEMATIC: TRADITIONAL WELCOME PROCESSION "DHOL TASHA"



SIGNAGE - FREE STANDING- DIRECTIONAL



SIGNAGE - MAP







LAMP POSTS



श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर



## **SWADESH DARSHAN SCHEME- Development of Infrastructure - Street Furniture- Benches**



**HIGH MAST** 



**DUSTBINS** 



STREET FURNITURE – BENCHES





FENCING AND BARRIERS



CANOPY



STREET FURNITURE - SHADES, SHELTERS

### **Implementation Plan**

#### Phase I

Start - 2 Months from approval of DPR

Finish - 1 year from approval of DPR

- Conservation & Restoration
- Structural repairs
- Decongesting Temple premises







- Infrastructural development
- Required Construction work
- Upgradation of services







#### Phase II

Start -1 year from approval of DPR


Finish - As per the timeline of proposal

- Improvisation as per the increase in the footfall of tourists.
- The peripheral development for promoting the tourist visits.
- Improvisation / Up-gradation of executed work / Existing.
- Other Amenities











#### **Proposed works in Phase-1**

#### 1. Conservation of Temple Precinct

- Repairs & Repainting of Shikhar
- Gabhara Area Gold & Silver Leafing work
- Extension of Temple Precinct
- Widening of Mahadwar between Shahaji Raje Dwar & Jijamata Dwar
- Removal of Incognizant interventions
- Upgaradion of CCTV, Public Address System (PAP)& HVAC & Electrical System
- Back office
- 2. Development & Construction of Darshan Waiting Area
- 3. Development & Construction of Bhavik Suvidha Kendra with Car Parking (Hudco & Aaradhwadi)
- 4. Construction Of Entrance & Exit Route In Valley Area (Ramp & Subway)
- 5. Statue depicting the Maa Tuljabhavani presenting Bhavani Talwar to Chhatrapati Shivaji Maharaj, Landscaping & Museum.
- 6. Widening of roads along with lights and uniformity of shops
- 7. Signage Board
- 8. Entrance gate at all four entry & exit points of Tuljapur
- 9. Auditorium



#### **Proposed works in Phase-2**

- 1. Tuljapur city & surrounding area's infrastructure Development.
- 2. Road Development to cater the need of citizens in particular and pilgrims visiting during Yatra
- 3. Development of 10 acre area near Ramdara lake for parking & buildings for pujari residences, Dhramashalas, rest houses.
- 4. Funicular type Railway Trolly system from Aradhwadi Parking to Chhatrapati Shivaji Maharaj Mahadvar
- 5. Development of already existing bhaktnivas, parking areas & gardens in Tuljapur City.
- 6. Electrical line shifting.
- 7. Police Dept. security and crowd management
- 8. Municipal council works, Sewerage system & STP's



## **Land Acquisition**

Land Acquisition Costing			
Sr. No.	Particular	Cost (In Crore)	
Α	For Devotee Facilities		
1	Truck Terminal	58.06	
2	Bus Depo	18.18	
3	Hudco Parking	31.40	
4	Ghatshil Parking	3.30	
5	Valley	3.39	
	Total Costing for Devotee Facilities	114.33	
В	For Road Widening		
1	Bhavani Mandir to NH 211- widening of 9 to 12 meters	15.96	
2	Bhavani Mandir Road to Parking Road- widening of 6 to 12 meters	7.54	
3	Chhatrapati Shivaji Mahadwar to Temple road	14.14	
4	Dharashiv Road to Latur Road 18 meter road development	28.81	
5	Bhavani Road to Ghatshil - widening of 12 to 18 meters	28.83	
6	Bhavani Road- Hutatma Smarak to Aarya Chowk- Kisan Chowk - widening of 6 to 12 meters	31.92	
7	Kmanves, Maruti Mandir to Doctor Babasaheb Ambedkar Chowk- widening of 9 to 12 meters	3.08	
	Total Costing for Road widening	130.26	
	Total Costing for Devotee Facilities & Road widening	244.60	

<sup>\*</sup> The costings mentioned above are as per land acquisition cost received from Tuljapur Municipal council






## Implementation Plan - Estimate Phase-1

#### Conservation and Management Plan of the Monument Shri Tulja Bhavani Temple For Shri Tulja Bhavani Temple Trust, Tuljapur

#### **Estimate Of Phase I works**

Sr. No	Description of work	Amount in Crores (Rs.)
1	Repair & Painting Of Shikhar  A. Recreation of broken parts of carvings  B.New painting	₹ 0.75
2	Gabhara Area Gold & Silver Leafing work  A.Removal of Existing marble cladding in main Gabhara  B.Proposal of Golden & Silver leafing work in main Devicha Gabhara & adjoining area	₹ 3.75
3	Construction Of Entrance & Exit Route In Valley Area (Ramp & Subway)  A.Covered Ramp & subway proposed from Pre-Entry waiting area to Darshan mandap  B.Emergency facilities like toilets,cafeteria,sureveillance room,child room,medical room on ramp	₹ 66.00
4	Development & Construction of Darshan Mandap (Ghatshil parking (Basement+G+3) & Bhavani Tirth)  A.First & Second floor for devotee's waiting area & viewing gallery used for Kalash Darshan during Kojagiri Purnima  B.Ground floor for facilities like frisking area, shops, security system, drinking water facility, toilet/wash facility, feeding room, first aid, food facility, lockers, footwear stands etc.  C.Third floor for Administrative office	₹ 180.00
5	Temple Precint Extension Including Removal Of Incongruent Structure, Reconstruction Of Tukoji Bua Math, Inculding Removal Of Amphitheatre & Allide Construction Works Of The Temple  A. Extension of Precint by removal of Incongruent Structures (Bedkar staircase, office buildings, toilets, police chawki, police quarters, halls, stairs in vicinity etc.)  B. Demolition & reconstruction of Tukdoji Buva math  C. Removal of amphitheatre & Allide Construction Works Of The Temple  D. Archway between Raje Shahaji Mahadwar and Rajmata Jijau Mahadwar.	₹75.00
6	Statue depicating the Maa Tuljabhavani presenting Bhavani Talwar to chhatrapati Shivaji Maharaj, Landscapping & Museum.  A.108 feet Statue depicating the Maa Tuljabhavani presenting Bhavani Talwar to chhatrapati Shivaji Maharaj.  B.Museum with facilities like display area,management area,toilets,foot court,office area,stor area,security services,meditation hall,landscaping garden,selfie points etc.  C.Beautification by Light & Soundshow at Ramdhara Lake	₹34.00






# Implementation Plan - Estimate Phase-1

Sr. No	Description of work	Amount in Crores (Rs.)
7	Widening of roads along with lights for uniformity of existing shops by providing facade A.Widening of roads within the town. B.Spine roads to develop to 30m wide C.The lamp post of 4m on both sides of roads D.Uniformity of shops along proposed widening of road	₹48.00
8	Signage Board A.Signage for directions, instructions, warnings & maps on various locations. B.Signage will be thematic based of Maratha culture	₹ 0.75
9	Entrance gate at all four entry & exit points of Tuljapur	₹ 9.00
10	Bhavik Suvidha Kendra with Car Parking (Hudco & Aaradhwadi) (Basement+G+1) (Total Area: 1,20,000 Sqm)  A. The strcuture shall have basement +Ground+Podium.  B. Used for devotee vehicle parking at basement & upper floors  C. Shall have amenities like food/snacks,drinking water,toilet/bath facility,emergency service,first-aid kit etc.  D.Podium parking roof covered with solar panels	₹ 420.00
11	Auditorium ( 600 Person) (Total Area :5000 Sqm) A.Auditorium with seating arrangement of 600 Persons	₹ 26.00
12	Proposed Ovaris in Place of Abhishek Hall (Basement Floor) A.Abhishek hall will be demolioshed & build as a new Back office. B.The structure will have basement floors & Above is temple campus. C.Building shall have 4 rooms for Pujari, Admin office, Store Room & Strong rooms & above it Space for Rituals activities.	₹ 9.00
13	CCTV, Public Address System (PAP)& HVAC  A.CCTV at Pre Entry Waiting Area, Pilgrimage Facilitation Centre with Car Parking & at pathways to temple  B.CCTV with audio recording in small offices, conference rooms etc.	₹ 6.00
14	Upgradtion of Existing Electrical System	₹ 5.00
	TOTAL AMOUNT FOR PHASE I WORKS	₹ 883.25
	4% Contigency	₹ 35.33
	ADD CONSULTANY FEES AS PER PWD GR: 3.5% (1.5 % FOR DESIGN+ 2.0 % FOR P.M.C)	₹30.91
	LAND ACQUISITION COST	₹ 244.60
	TOTAL	₹ 1,194.09
	ADD 18% G.S.T	₹ 214.94
	GRAND TOTAL FOR PHASE I WORKS	₹ 1,410.00
	Say	₹ 1,410.00

Note :- The above costing is as per Current Prevailing rates & are subject to increase during actual Execution





#### **CURRENT STATUS**

- Detailed Project Report has been Submitted
- Conservation Audit Report has been Submitted.
- Layout drawings with basic details for proposed facilities submitted.
- Conservation Drawings and detailed Estimate of Temple Precinct submitted to the State Archaeology Dept currently under Technical Scrutiny.
- Phase -2 tender has been floated by PWD.
- With due permission from the state government, we plan to complete the whole process of approval within the next two months and post-approval execution of the development plan shall be taken up immediately for implementation.



Clarification of Queries raised during meeting dated 05.06.2023




# Clarification of Queries raised during meeting dated 05.06.2023


Question	Clarification
Total area of parking?	:- Total area of parking-
and or parising.	Bhavik Suvidha Kendra with car Parking(HUDCO Plot) -
	<ul> <li>Area is 104574 Sqm</li> </ul>
	<ul> <li>Turn around Time is 4 Hours</li> </ul>
	<ul> <li>According to NBC 23Sqm /Car</li> </ul>
	<ul> <li>Parking Provided 4500 Cars per Slot</li> </ul>
	<ul> <li>Hence Total Car Parking - 27000 Cars/Day</li> </ul>
	Bhavik Suvidha Kendra with car Parking(Aradhwadi Plot)-
	<ul><li>Area is 53056 Sqm</li></ul>
	<ul> <li>Turn around Time is 4 Hours</li> </ul>
	<ul> <li>According to NBC 23Sqm /Car</li> </ul>
	<ul> <li>Parking Provided 2300 Cars</li> </ul>
	<ul> <li>Hence Total Car Parking - 13800 Cars/Day</li> </ul>
	Total Car Parking - 40800 Cars/Day





#### **Proposed Parking Area details**







#### Clarification of Queries raised during meeting dated 05.06.2023









# Clarification of Queries raised during meeting dated 05.06.2023

Sr. No.	Question	Clarification
1		Distance from temple & time required to travel -
	time required to travel the	Average walking speed of human is 4.82KM/H
	same?	For Phase 1 -
		■ Bhavik Suvidha Kendra with car Parking(HUDCO Plot) to Darshan
		Sabhagruh distance is 0.85 Km (Walk time 11 minutes), 5
		minutes by using local transport.
		■ Bhavik Suvidha Kendra with car Parking (Aradhwadi Plot) to
		Darshan Sabhagruh distance is 0.60 Km (Walk time 8 minutes), 5
		minutes by using local transport.
		<ul> <li>Darshan Sabhagruh to temple (Including Subway, Ramp &amp; Existing</li> </ul>
		Darshan Mandap)- 0.75 Km - 09 minutes.



#### **Proposed Parking Area details**







Sr. No.	Question	Clarification
1	Distance from temple &:-	For Phase 2 -
	time required to travel the	■ Bhavik Suvidha Kendra with car Parking (Aradhwadi Plot) will
	same?	directly connect to ground floor of Darshan Mandap
		■ Bhavik Suvidha Kendra with car Parking (Aradhwadi Plot) to
		Darshan Mandap distance is 0.5 Km (Walk time 10 minutes)



Sr. No.	Question	Clarification
2	Space required for a person:-	As per Neufrert Architecture Max 4 Person can stand in 1.25Meter
	in Darshan Mandap? How	As per Neufrert Architecture for seating 6.00 Sqft per person
	many person can stand at a	For Darshan Sabhagruh-
	time in Darshan Mandap?	<ul> <li>Total capacity of Darshan Sabhgruha is 10,540 devotees can seat</li> </ul>
	Count of Devotees?	& wait for their darshan slot.
		<ul> <li>Capacity for seating area-10,540 devotees per 11 slots of 2 hours</li> </ul>
		Hence 1,15,940 Devotees per day.
		<ul> <li>Movement Capacity -1,500 devotees per 11 slots of 2 hours</li> </ul>
		Hence 16,500 Devotees per day.
		■ Total capacity of Darshan Sabhgruha is 1,46,440 Devotees per
		day.

















Sr. No.	Question	Clarification
3	What is the distance:-	Distance from temple & time required to travel -
	between 1 parking &	Average walking speed of human is 4.82KM/H
	Darshan Mandap (Darshan	For Phase 1 -
	Sabhagruh)?	■ Bhavik Suvidha Kendra with car Parking(HUDCO Plot) to Darshan
	Distance between Darshan	Sabhagruh distance is 0.85 Km (Walk time 11 minutes), 5
	Sabhagruh to & temple,	minutes by using local transport.
	Sizing of underpass in	■ Bhavik Suvidha Kendra with car Parking (Aradhwadi Plot) to
	terms of Length & Width.	Darshan Sabhagruh distance is 0.60 Km (Walk time 8 minutes), 5
		minutes by using local transport.
4.	Display board stating	<ul> <li>Darshan Sabhagruh to temple (Including Subway,Ramp &amp; Existing</li> </ul>
	information every where.	Darshan Mandap)- 0.75 Km - 09 minutes.



#### Q. 1 Total area of parking? Distances from temple and time required to travel the same?

























Sr. No.		Quest	tion		Clarification
5	What	will	be	the:-	■ In proposed ramp there are 2 medical rooms proposed half the
	emerger	ncy i	managen	nent	length, one on entry side & one on exit side, 1 additional
	for dev	otees	visiting	for	emergency exit lane 3 meter wide kept vacant.
	Shree De	eviji?			<ul> <li>Additionally two emergency exists can be used one from Rajmata</li> </ul>
					Jijau Mahadwar other from Shri chatrapati shivaji rajdwar.
					Additionally emergency lift is proposed near Tukadoji Bua Math.
					At Subway & Ramp -Emergency exit shall be provided at every
					30M.(Locations shall be fixed during detailed design as per
					National Building Code(NBC))
					■ Emergency Response Centre(ERC) has been proposed at New
					Abhishek hall


























श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर












Sr. No.	Question	Clarification
6	Give detailed information:-	Bhavik Suvidha Kendra with car Parking(HUDKO Plot) -
	on Parking Management	<ul> <li>Total Car Parking - 27000 Cars/Day</li> </ul>
	during Shardiy Naratrostav.	Bhavik Suvidha Kendra with car Parking(Aradhwadi Plot)-
		<ul><li>Total Car Parking - 13800 Cars/Day</li></ul>
		Bus Parking
		<ul> <li>Near HUDCO Plot Private bus parking 1 at distance of 1.5 Km</li> </ul>
		(Walk time 20 minutes)(42000 Sqm area - 300buses)
		<ul> <li>Near Aradhwadi Plot Private bus parking 2 at distance of 1 Km</li> </ul>
		(Walk time 13 minutes) (14080 Sqm area-100 buses).









#### Q. 6. Give detailed information on Parking Management during Shardiy Naratrostav.








Sr. No.	Question	Clarification
7		Temple area has existing fire hydrant loop line along the
	provisions are made?	periphery however it has to be upgraded as per provisions of
		National building code(NBC) during detailed design.
		• All the proposed structures shall be made fire compliant as per
		National building code
		<ul> <li>Detailing &amp; locations shall be decided during detailed design.</li> </ul>
8	Ornamental Golden leafing:-	The point was discussed during joint site visit of Director, ASI.
	on the walls of Gabhara.	Trust Management to take decision on the same.
		However Ornamental Golden leafing works to be done without
		damaging the existing structure








Sr. No.	Question	Clarification
9	What kind of facilities:-	Wash rooms, medical room & control rooms, various seating
	provided for senior	arrangements, drinking water arrangement etc. has been
	citizens? Are they part of	proposed at various locations.
	DPR?	In Darshan Queue, the side ques shall have folding seating
		arrangements, which shall be in the part of detailed design
		scope.
		In the Ramp special lane has been proposed for senior citizens &
		specially abled persons
		Emergency lift has been proposed near Tukadoji Bua Math



#### Q. 9. What kind of facilities provided for senior citizens? Are they part of DPR?
















# Clarification of Queries raised during meeting dated 05.06.2023 Eevation Level -616 m 000000 2 lift & staircase Elevation Level -588 m











Sr. No.	Question		Clarification
10	What efforts has	been:-	■ There is no change in fabric.
	taken to keep	local	■ Footfall of devotee from Bhavik Suvidha Kendra with car
	villagers and	their	Parking(HUDCO Plot)is going to be continue on Bhavani road
	dependent livelihood	?	<ul> <li>Footfall of devotees from private bus parking near HUDKO plot is</li> </ul>
			going to continue on Arya Chowk Road.
			<ul> <li>This is going to cater large number of devotees.</li> </ul>
			<ul> <li>Hence there are less chances of adverse impact on the livelihood</li> </ul>
			of locals.
			<ul> <li>As per our proposal we are standardizing the entrance elevations</li> </ul>
			of all shops shall be unique & identical.





















Sr. No.	Question	Clarification
11	Discuss with consultant:-	<ul> <li>Decision on the same to be taken in conjunction with Temple</li> </ul>
	appointed for DPR	trust
	preparation of Shree	
	Kshetra Pandharpur for any	
	kind of modifications which	
	are possible.	
12	Keep information &:-	Darshan ramp has a facility for return ramp
	distance details for	■ Exit Queue (Length 750M & Width 1.5m x 3 Lane)
	Shreedevijis devotee to	■ The Route marking, Distances & Emergency exit signages are
	return to their destine.	placed at various intervals.
		■ The placing & positioning of signages will be done during the
		detailed design stage.



### **Proposed Devotee Movement – Temple Precinct Level EMERGENCY EXIT 1** PROPOSED HAAT PROPOSED BACK OFFICE **EXIT ROUTE 2** EMERGENCY EXIT 2 **EXIT ROUTE 3 GABHARA** LANDSCAPE PATI ADMIN BLDG. DHARMASHA **RAMP** Exit Path Emergency exit **EXIT ROUTE 1**









श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर




Sr. No.	Question		Clarification
13	What methods are	to be:-	For crowd management
	adopted for	crowd	■ Bhavik Suvidha Kendra (primary crowd management- crowd
	management?		control).
			<ul> <li>Darshan Sabhagruh (secondary crowd management - regulate</li> </ul>
			the entry).
			<ul> <li>Movement through ramp</li> </ul>
			<ul> <li>Existing Darshan Mandap (Main crowd management - Controlled</li> </ul>
			Density)
			<ul> <li>Crowd diversion - Dharma Darshan, Abhishek Darshan, Free/</li> </ul>
			Mukh Darshan.
			<ul> <li>Exit- return to ramp towards the Darshan Sabhagruh,</li> </ul>
			<ul><li>Emergency exit- Jijamata Dwar &amp; Shiwaji Dwar.</li></ul>




Question	Clarification
What methods are to be:-	For crowd management
adopted for crowd	<ul> <li>Separate lane is provided from Darshan Sabhagruhto the Bhavik</li> </ul>
management?	Suvidha Kendra.
	■ Control Room, Medical room, CCTV Cameras, Public
	Announcement Systems are proposed on-ramp as well as in the
	proposed building structures.
	■ Emergency Response Centre (ERC) at various places are
	proposed.
	■ Police, CCTV Monitoring & Control, Temple administrative office
	placed at one place in Darshan Sabhagruh.
	What methods are to be:- adopted for crowd





#### Q. 10. What methods are to be adopted for crowd management?


















# Clarification of Queries raised during meeting dated 05.06.2023 की ३० मीटर अंतरावर स्वयंचलित दरवाजे

श्री तुळजाभवानी मंदिर संस्थान, तुळजापूर








Sr. No.	Question	Clarification
14	Darshan Mandap hall must:-	Detailed design shall be based on norms laid down in National
	have big windows for	building code (NBC).
	availability of light	Locations & dimensions to be decided during detailed phase of
	ventilation.	design
15	Take an opinion from:-	DPR has been made with consultation with state arch logical
	person having past	department on the same to be taken in conjunction with Temple
	experience.	trust




Question Clarification				
16 What will be permeant:- For	Phase 1-			
system for queue in I	n Bhavik Suvidha Kendra- Ticke	t issue system to be		
Darshan Mandap? Give i	mplemented by Temple Trust.			
details on same.				
Que capacity calculation				
Dharma Darshan (Initial Queae)		45.39 meter		
Dharma Darshan (In Sihancha Gab	hara Queae)	62.175 meter		
Considered 4 Devotee/ 1.25 meter	& 2 Devotee in each line	291 Devotee		
Considered 4 Devotee/ 1.25 meter	& 1 Devotee in each line	199 Devotee		
Mukh Darshan		23 meter		
Considered 4 Devotee/ 1.25 meter	148 Devotee			
Total Devotee in Queue		638 Devotee		
VIP/ Paid/ Abhishek Darshan		42 meter		
Considered 4 Devotee/ 1.25 meter	269 Devotee			
Total Devotee in VIP/ Paid/ Abhish	nek Darshan Que	269 Devotee		
On Ramp Queue		729 meter		
		6999 Devotee		





Sr. No.	Question	Clarification
17	Drinking water, eateries &:-	Bhavik Suvidha Kendar, Darshan Sabhagruh, Darshan Ramp
	toilets to be provided at	<ul> <li>Toilets</li> </ul>
	various locations for	<ul> <li>Eateries with drinking water fountains</li> </ul>
	devotees.	<ul> <li>Clock Room</li> </ul>
		<ul> <li>Hirkani Kaksha</li> </ul>
		<ul> <li>Waiting Area</li> </ul>
		<ul> <li>Assembly Area</li> </ul>
		■ Foot ware Stand
		Medical Room
		Apart from this, we have proposed eateries on exit route
		through Shiwaji Dwar.
		Identified & marked locations for public toilets in various places
		in the city.
























#### Q. 17. Drinking water, eateries & toilets to be provided at various locations for devotees

 RO dispensers will be installed at all the holding areas, Pre-Entry holding areas, Bus depots, and Queueing halls.






Drinking Water Outlets (permanent and mobile)

- All the Bhavik Suvidha Kendras shall have cafeterias
- Existing Private hotels, food stalls, etc. serving local south Indian as well as north Indian cuisine are available within the vicinity of the temple area.
- During Sharadiya Navratri people will be offered food in the basement of the existing admin building.



#### Q. 17. Drinking water, eateries & toilets to be provided at various locations for devotees

 Adequate toilet facilities are planned at every holding area, ramp, all parking area, and bus depot






Toilet Blocks

- EXISTING PUBLIC TOILETS
- PROPOSED TOILETS

Sr. No.	Question	Clarification
	What will be the time:-	Distance from temple & time required to travel -
	required for a devotee to	<ul> <li>Average walking speed of human is 4.82KM/H</li> </ul>
	complete a darshan during	For Phase 1 -
	less crowded/ no crowd	■ Bhavik Suvidha Kendra with car Parking(HUDCO Plot) to Darshan
	situation?	Sabhagruh distance is 0.85 Km (Walk time 11 minutes), 5
		minutes by using local transport.
		■ Bhavik Suvidha Kendra with car Parking (Aradhwadi Plot) to
		Darshan Sabhagruh distance is 0.60 Km (Walk time 8 minutes), 5
		minutes by using local transport.
		<ul> <li>Darshan Sabhagruh to temple precinct(Including Subway, Ramp</li> </ul>
		& Existing Darshan Mandap)- 0.75 Km - 09 minutes.




Sr. No.	Question			Clarification	
19	How many	lanes	for:-	The proposal for darshan que consists of maily three lanes-	
	Darshan p	roposed	in	• Mukh Darshan having two lanes which shall have 1.5 m stretch	
	temple & ho	w many	lines	which directly give darshan to 3 devotees at a same time, This	
	proposed post Darshan?		1?	lane directly exit outside of temple.	
				Dharma Darshan while entering in temple have two lanes which	
				will be splitted into 4 lanes in front of Ghabhara, straight stretch	
				of length of 5 meters in front of Gabhara can give Darshan to 26	
				devotees at a same time, which is then exiting the temple.	
				<ul> <li>Paid/ Abhishek/ VIP Darshan has separate provision with single</li> </ul>	
				lane which will be directly exit from temple.	
20	Removal of	all Gra	anite/:-	Same has been discussed during joint visit with Director, ASI.	
	marble from t	emple.		<ul> <li>As per directions of Director, ASI, all incognizant interventions</li> </ul>	
				from temple Precinct are to be removed.	












## **Proposed Devotee Movement – Temple Level**







#### Removal of all Granite/ marble from temple





